

AIR QUALITY MANAGEMENT ALONG THE BRENNER CORRIDOR IN THE ITALIAN ALPS: THE BRENNERLEC PROJECT



Lorenzo Giovannini¹, Gianluca Antonacci², Roberto Cavaliere³, Ilaria De Biasi⁴, Massimo Guariento⁵, Valentina Miotto⁶, Dino Zardi¹

¹Dpt. of Civil, Environmental and Mechanical Engineering, University of Trento, Italy, ²CISMA s.r.l., Bolzano, Italy, ³NOI Tech Park, Bolzano, Italy, ⁴Autostrada del Brennero Spa, Trento, Italy, ⁵Agency for the Environment and the Climate of the Province of Bolzano, Bolzano, Italy, ⁶Environmental Protection Agency of the Province of Trento, Trento, Italy

Corresponding author address: lorenzo.giovannini@unitn.it

BACKGROUND

Trentino-Alto Adige/Südtirol is an Italian region that is crossed by the Brenner corridor, a strategic route for Europe, connecting Italy with Austria and Germany. Road traffic is responsible for 60% of nitrogen oxides (NO_x) emissions in this area. On the Italian side, the A22 highway generates 41% of NO_x emissions from road traffic. The peculiar meteo-climatic conditions occurring in Alpine valleys and the proximity of the highway to populated urban areas enhance the problem of nitrogen dioxide (NO₂) concentrations, which generally exceed the limit value of 40 µg/m³ on annual mean, set by the 2008/50/EC Directive. In the light of this issue, it is strategic to reduce emissions from road traffic. Traffic jams induce the so-called “stop & go” events, which produce higher emissions than constant speed conditions. In addition, emissions show a dependence on speed, strongly increasing above 80 km/h. Heavy-duty vehicles (HDVs) complying with their speed limit ensure the minimum NO_x emissions. Furthermore, the technological advances made on HDVs have significantly reduced their NO_x emissions compared to LVs. As a result, EURO 6 HDVs emit about 60% less NO_x than EURO 6 LVs. Innovative policies aiming at pursuing improved environmental quality objectives should then consider LVs as an important target.



AIMS OF THE PROJECT

The “Brenner Lower Emissions Corridor” (BrennerLEC, BLEC) project aims at implementing and demonstrating the benefits expected from three types of dynamic policies to improve air quality (AQ), climate protection and noise:

- dynamic road capacity management, to reduce speed limits and during highly saturated traffic conditions;
- dynamic speed limits management, to be applied to LVs as a function of the predicted AQ conditions;
- dynamic integrated traffic management, to improve the management of highway traffic in correspondence of urban areas.

FIELD MEASUREMENTS

In order to support the policies implemented in the project, a dense network of AQ and meteorological sensors has been deployed along the Brenner highway. Three air quality stations were installed to monitor NO_x, NO₂ and other pollutants, including black carbon (BC). Air quality monitoring is performed using both conventional and innovative resistive and electrochemical sensors, in particular for measuring NO₂ and NO concentrations. Evaluation of the performance of these instruments is still limited and their reliability not yet extensively validated. The performance of this kind of sensors under true ambient conditions is continuously monitored, by comparing their measurements against the conventional stations.



STUDY AREA


Three pilot-test areas were selected for applying the proposed environmental policies:

- BLEC-ENV**: a stretch of about 90 km hosting the field verification of the dynamic road capacity management strategies.
- BLEC-AQ**: a stretch of about 20 km hosting the tests of the dynamic speed limits management strategies.
- BLEC-LEZ**: three stretches, in the correspondence of the urban areas of Bolzano, Trento and Rovereto, which host the tests on the strategies for urban-highway integrated traffic management.




MODELLING ACTIVITIES

An advanced modelling chain, composed of the WRF (meteorology) and R-Line (dispersion) models is implemented to support the extensive testing and application of temporary reduction of speed limits connected to critical air quality situations. Air quality forecasts are used as input to a decision support tool for the application of reduced speed limits on the highway, in order to maximize the benefits of the policies implemented limiting negative impacts for the highway users, by putting in action measures only when necessary and anticipating environmental issues.



RESULTS: AIR QUALITY


Air quality measurements have been correlated with meteorological, traffic and emission data, to analyze the decrease of concentration induced by the reduced speed limits on the highway between the ex-ante and ex-post situations. Results show a decrease of NO₂ concentration of about 10% with a mean decrease of light vehicles speed of about 14 km/h. The efficiency of the reduction of the speed limit depends on meteorological conditions, being more effective in stable atmospheric conditions.



Diurnal cycle of NO₂ concentrations close to the highway with and without reduced speed limit; b) difference between NO₂ concentrations close to the highway with and without reduced speed limits.

RESULTS: TRAFFIC

An algorithm based on measured traffic count, mean velocity and velocity variance has been implemented to regulate dynamic speed limits in situations with high traffic. Preliminary results show traffic regularization with less stop & go situations.



Example of application of reduced speed limit in situations with high traffic.

ACKNOWLEDGEMENTS

This BrennerLEC project (LIFE15 ENV/IT/000281) is funded by the European Union under the LIFE Environment and Resource Efficiency Program.