

# Bibliography

- [1] M. Ferdik, G. Saxl, and T. Ussmueller, *Enabling Technologies for the Internet of Things*. Cambridge University Press, 2018, ch. Protocol Standardization for IoT: Overview and Summary, in preparation.
- [2] J.-C. Edelmann, V. Kalpen, and T. Ussmueller, *Enabling Technologies for the Internet of Things*. Cambridge University Press, 2018, ch. Implanted Electronics, in preparation.
- [3] M. Ferdik, G. Saxl, and T. Ussmueller, “Battery-less UHF RFID Controlled Transistor Switch for Internet of Things Applications - A Feasibility Study,” in *IEEE Topical Conference on Wireless Sensors and Sensor Networks (WISNET)*, 2018, accepted.
- [4] J.-C. Edelmann, R. Stojakovic, C. Bauer, and T. Ussmueller, “An Inductive Through-The-Head OOK Communication Platform for Assistive Listening Devices,” in *IEEE Topical Conference on Wireless Sensors and Sensor Networks (WISNET)*, 2018, accepted.
- [5] G. Saxl, M. Ferdik, and T. Ussmueller, “Ultra-Low-Power Ring Oscillator based True Random Number Generator for Passive UHF RFID Tags,” in *IEEE Topical Conference on Wireless Sensors and Sensor Networks (WISNET)*, 01 2018, accepted.
- [6] T. Buckel, S. Tertinek, T. Mayer, T. Bauerfeind, C. Wicpalek, A. Springer, R. Weigel, and T. Ussmueller, “A Highly Reconfigurable RF-DPLL Phase Modulator for Polar Transmitters in Cellular RFICs,” *IEEE Transactions On Microwave Theory and Techniques*, 2017, submitted.
- [7] T. Buckel, T. Mayer, T. Bauernfeind, S. Tertinek, C. Wicpalek, A. Springer, R. Weigel, and T. Ussmueller, “A Highly Reconfigurable RF-DPLL Phase Modulator for Polar Transmitters in Multi-Band/Multi-Standard Cellular RFICs,” in *2017 IEEE Radio Frequency Integrated Circuits Symposium (RFIC)*, June 2017, pp. 104–107.
- [8] J. Seiler, M. Jonscher, T. Ussmueller, and A. Kaup, “Increasing Imaging Resolution by Non-Regular Sampling and Joint Sparse Deconvolution and Extrapolation,” *IEEE Transactions on Circuits and Systems for Video Technology*, 2017, submitted.
- [9] J.-C. Edelmann, D. Mair, D. Ziesel, and T. Ussmueller, “ECG Simulator: A Novel Concept to Output Synthetic and Pathological Signals,” *Journal of Medical Engineering & Technology*, 2017, in Preparation.
- [10] J.-C. Edelmann, D. Mair, and T. Ussmueller, “A Novel Measurement Strategy to Evaluate the Human Head as Transition Medium for Inductive Ear-to-Ear Communication (Under Review; Submitted 06-09-2017),” *Biomedical Engineering/Biomedizinische Technik*, 2017, submitted.

- [11] M. Renzler, M. Maser, and T. Ussmueller, "A Ultra Wide Band FMCW Local Positioning System," *IEEE Transactions On Microwave Theory and Techniques*, 2017, submitted.
- [12] M. Renzler, S. Proell, M. Ferdik, and T. Ussmueller, "Web Applications For The Purpose Of Decentralized Teaching," *IEEE Transactions On Education*, 2017, submitted.
- [13] T. Ussmüller, L. Shi, C. Söll, A. Bänisch, and J. Seiler, "Bildelement," DE Patent 102 016 206 330, 2017.
- [14] M. Renzler, N. Reithmaier, R. Reinhardt, W. Pohl, and T. Ussmueller, "A Road Tunnel Model for the Systematic Study of Lighting Situations," *Journal of Tunneling and Underground Space Technology*, 2017, submitted.
- [15] M. Ferdik and T. Ussmueller, "RFID Sensors & Actuators," in *IEEE MTT-S International Microwave Symposium, Workshop on RFID Components and Devices for the Next Generation of 5G IoT Devices*, Tampa, FL, USA, June 2017.
- [16] S. Senega, J. Roeber, and T. Ussmueller, "Diversity-Methods for Robust Reception of Satellite Signals With Low Transmission Power in Mobile Applications," in *IEEE MTT-S International Microwave Symposium, Workshop on Low Cost Technology for Space Satellites*, Tampa, FL, USA, June 2017.
- [17] L. Shi, C. Soell, B. Pfundt, A. Baenisch, M. Reichenbach, J. Seiler, T. Ussmueller, and R. Weigel, "A flexible mixed-signal image processing pipeline using 3D chip stacks," *Journal of Real-Time Image Processing*, pp. 1–18, 2016.
- [18] T. Buckel, S. Tertinek, R. S. Kanumalli, T. Mayer, C. Wicpalek, R. Weigel, and T. Ussmueller, "Digitally controlled oscillator gain estimation for rf-dpll's in 4g lte polar transmitters," in *2016 IEEE International Symposium on Circuits and Systems (ISCAS)*, May 2016, pp. 2130–2133.
- [19] C. Soell, T. Mai, L. Shi, J. Roeber, T. Ussmueller, R. Weigel, and A. Hagelauer, "Low-Power High-Gain Operational Amplifier for Analog Image Pre-Processing in Smart Sensor Systems," in *15. ITG/GMM-Symposium ANALOG 2016*, Sept 2016, pp. 1–5.
- [20] L. Shi, D. Hadlich, C. Soell, T. Ussmueller, and R. Weigel, "A Tone Mapping algorithm suited for analog-signal real-time image processing," in *2016 12th Conference on Ph.D. Research in Microelectronics and Electronics (PRIME)*, June 2016, pp. 1–4.
- [21] C.-Y. Hsieh, J. Roeber, A. Baenisch, A. Hagelauer, T. Ussmueller, and R. Weigel, "A low power CMOS transmitter with Class-E power amplifiers for positioning application in multi-band," in *2016 German Microwave Conference (GeMiC)*, March 2016, pp. 433–436.
- [22] C. Soell, L. Shi, A. Baenisch, T. Ussmueller, and R. Weigel, "A CMOS image sensor with analog pre-processing capability suitable for smart camera applications," in *2015 International Symposium on Intelligent Signal Processing and Communication Systems (ISPACS)*, Nov 2015, pp. 279–284.

- [23] C. Soell, L. Shi, A. Baenisch, J. Roeber, T. Ussmueller, and R. Weigel, "Analog computation methods with the help of analog and pseudo-digital carry signals," in *2015 European Conference on Circuit Theory and Design (ECCTD)*, Aug 2015, pp. 1–4.
- [24] S. Glock, J. Rascher, B. Sogl, T. Ussmueller, J.-E. Mueller, and R. Weigel, "A memoryless semi-physical power amplifier behavioral model based on the correlation between AM-AM and AM-PM distortions," *IEEE Transactions on Microwave Theory and Techniques*, vol. 63, no. 6, pp. 1826–1835, June 2015.
- [25] L. Shi, C. Soell, A. Baenisch, R. Weigel, J. Seiler, and T. Ussmüller, "Concept for a CMOS image sensor suited for analog image pre-processing," in *DATE Friday Workshop on Heterogeneous Architectures and Design Methods for Embedded Image Systems*, vol. abs/1502.07449, 2015. [Online]. Available: <http://arxiv.org/abs/1502.07449>
- [26] T. Ussmueller, A. Hagelauer, and R. Weigel, *Green RFID Systems*, ser. EuMA High Frequency Technologies Series. Cambridge University Press, 2014, ch. Technologies for RFID sensors and sensor tags, pp. 76–115.
- [27] J. Walk, J. Weber, C. Soell, R. Weigel, G. Fischer, and T. Ussmueller, "Remote Powered Medical Implants for Telemonitoring," *Proceedings of the IEEE*, vol. 102, no. 11, pp. 1811–1832, Nov 2014.
- [28] T. Buckel, C. Wicpalek, T. Mayer, S. Tertinek, P. Preyler, B. Neurauter, R. Weigel, and T. Ussmueller, "Challenges in RF-DPLL Design for Wideband Phase Modulation Supporting SC-FDMA in LTE Uplink," in *European Microwave Conference (EuMC)*, 2014.
- [29] M. Hamouda, G. Guarin, M. Gardill, B. Laemmle, R. Weigel, D. Kissinger, and T. Ussmueller, "A Clock Synchronization for M-Sequence-Based Ultra-Wideband Systems," *IEEE Transactions on Microwave Theory and Techniques*, vol. PP, no. 99, pp. 1–13, 2014.
- [30] A. Elmaghraby, M. Hamouda, G. Fischer, R. Weigel, and T. Ussmueller, "A double bandpass N-path filter for LTE carrier aggregation receivers in 28nm CMOS," in *IEEE 15th Annual Wireless and Microwave Technology Conference*, June 2014, pp. 1–3.
- [31] T. Ussmueller, A. Elmaghraby, and R. Weigel, "SAW-less CMOS Receiver Front-ends," in *IEEE MTT-S International Microwave Symposium, Workshop on Recent Developments in Low Noise and Front-end Technology, Design, Circuits, Measurement Techniques, and State-of-The-Art Applications*, Tampa, FL, USA, June 2014.
- [32] S. Glock, J. Rascher, B. Sogl, T. Ussmueller, J.-E. Mueller, G. Fischer, and R. Weigel, "A Semi-Physical Power Amplifier Behavioral Model Capable of Predicting Gain Expansion Effects," in *IEEE Topical Conference on RF/Microwave Power Amplifiers for Radio and Wireless Applications (PAWR)*, jan 2014.
- [33] A. Elmaghraby, G. Fischer, R. Weigel, and T. Ussmueller, "An Inductor-less LTE Receiver Using an 8-Path Filter for TX Leakage Suppression," in *Topical Meeting on Silicon Monolithic Integrated Circuits in RF Systems (SiRF)*, jan 2014.

- [34] S. Zeller, C. Muenker, R. Weigel, and T. Ussmueller, “A  $0.039 \text{ mm}^2$  Inverter-Based 1.82 mW 68.6dB-SNDR 10 MHz-BW CT- $\Sigma\Delta$ -ADC in 65 nm CMOS Using Power- and Area-Efficient Design Techniques,” *IEEE Journal of Solid-State Circuits*, vol. 49, no. 7, pp. 1548–1560, July 2014.
- [35] M. Hamouda, G. Fischer, R. Weigel, and T. Ussmueller, “A 20-gbps low jitter analog clock recovery circuit for ultra wide band radio systems,” in *IEEE International Symposium on Circuits and Systems*, June 2014.
- [36] ———, “Ultra wide band power amplifier for miniaturized antennas,” in *IEEE MTT-S International Wireless Symposium 2014*, March 2014.
- [37] M. Hamouda, B. Laemmle, G. Fischer, R. Weigel, and T. Ussmueller, “A Cross Correlation Based Clock Synchronization up to 10GHz for Ultra-Wideband Sensing Systems,” in *IEEE MTT-S International Microwave Symposium*, June 2014.
- [38] J. Roeber, A. Baenisch, T. Ussmueller, G. Fischer, and R. Weigel, “Frequency synthesizer for digital satellite radio receiving systems,” in *IEEE MTT-S International Wireless Symposium 2014*, 2014.
- [39] A. Thomas, W. Bakalski, T. Ussmueller, and R. Weigel, “A MIM-Cap free digitally tunable Pi-Network,” in *International Microwave & RF Conference (IMARC)*, dec 2013.
- [40] ———, “A MIM-Cap free digitally tunable NMOS capacitor,” in *European Microwave Conference*, 2013.
- [41] S. Glock, J. Rascher, B. Sogl, T. Ussmueller, J.-E. Mueller, G. Fischer, and R. Weigel, “A novel power amplifier behavioral model for improving the linearity-efficiency tradeoff,” in *IEEE MTT-S International Microwave & RF Conference*, dec 2013.
- [42] T. Ussmueller, “Remote Powered Medical Implants,” in *IEEE MTT-S International Microwave Workshop Series on RF and Wireless Technologies for Biomedical and Healthcare Applications*, 2013, invited Paper.
- [43] M. Jung, G. Fischer, R. Weigel, and T. Ussmueller, “Low power 24 ghz ad hoc networking system based on tdoa for indoor localization,” *ISPRS International Journal of Geo-Information*, vol. 2, no. 4, pp. 1122–1135, 2013. [Online]. Available: <http://www.mdpi.com/2220-9964/2/4/1122>
- [44] A. Costanzo, D. Masotti, T. Ussmueller, and R. Weigel, “Tag, You’re It: Ranging and Finding via RFID Technology,” *IEEE Microwave Magazine*, vol. 14, no. 5, pp. 36–46, July 2013.
- [45] A. Zohny, S. Leuschner, J. Rascher, S. Pinarello, T. Ussmueller, J.-E. Mueller, G. Fischer, and R. Weigel., “Analog Compensation of AM-AM and AM-PM Effects for High-Efficiency Stacked-FET Power Amplifiers in 65-nm Standard CMOS,” in *Proceedings of the European Microwave Integrated Circuits Conference (EuMIC)*, 2013.

- [46] M. Hamouda, F. S. di Clemente, M. Hein, G. Fischer, R. Weigel, and T. Ussmueller, "Ultra wide band low-power amplifier integrated on miniaturized antenna for biomedical applications," in *European Microwave Conference*, October 2013, pp. 1735–1738.
- [47] A. Zohny, J. Rascher, G. Fischer, R. Weigel, and T. Ussmueller, "A Comparison of State-of-the-Art Efficiency Enhancement Techniques of Fully Integrated CMOS Power Amplifiers for Handset LTE Applications," in *Proceedings of the Wireless and Microwave Technology Conference (WAMICON)*, 2013.
- [48] J. Rascher, A. Zohny, S. Glock, G. Fischer, R. Weigel, and T. Ussmueller, "A Comparative Overview of High Power Handling CMOS Switches and their Recent Applications in RF Front End," in *Proceedings of the Wireless and Microwave Technology Conference (WAMICON)*, 2013.
- [49] T. Ussmueller, D. Brenk, J. Essel, J. Heidrich, C.-Y. Hsieh, G. Fischer, and R. Weigel, "Measurement of Backscatter RFID-Transponders," in *14th IEEE International Workshop on Signal Processing Advances in Wireless Communications*, June 2013, pp. 485–489.
- [50] J.-A. Chicharro, R. Weigel, G. Fischer, and T. Ussmueller, "Low Impedance Multi-Decade Integrated Amplifier for EMR Measurements in Fully Electric Vehicles," in *2013 Asia-Pacific International Symposium and Exhibition on Electromagnetic Compatibility*, 5 2013.
- [51] M. Hamouda, G. Fischer, R. Weigel, and T. Ussmueller, "A Compact Analog Active Time delay Line using SiGe BiCMOS Technology," in *IEEE International Symposium on Circuits and Systems*, May 2013, pp. 1055–1058.
- [52] M. Maser, G. Fischer, R. Weigel, and T. Ussmueller, "Ein integrierter SiGe Bipolar VCO mit linearisierter Abstimmkennlinie und großem Abstimmbereich für UWB FMCW Nahbereichsortung," in *Analog 2013*. VDE Verlag GmbH Berlin Offenbach, March 2013.
- [53] S. Heinen, R. Wunderlich, M. Robens, J. Sachs, M. K. R. Weigel, T. Ussmueller, B. Sewiolo, M. Hamouda, R. Kraemer, J.-C. Scheytt, and Y. Borokhovych, *Ultra-Wideband Radio Technologies for Communications, Localization and Sensor Applications*. Intech, 2013, ch. HaLoS - Integrated RF-Hardware Components for Ultra-Wideband Localization and Sensing, pp. 369 – 438.
- [54] S. Glock, B. Sogl, P. Vizaretta, T. Ussmueller, J.-E. Mueller, G. Fischer, and R. Weigel, "An Extension of Power Amplifier Behavioral Models for Optimizing Battery Current at System Level," in *IEEE MTT-S Radio Wireless Symposium*, 2013.
- [55] A. Zohny, S. Leuschner, M. Kastner, J. Rascher, T. Ussmueller, J.-E. Mueller, G. Fischer, and R. Weigel, "Time-efficient adjacent channel power ratio simulation utilizing Overlap-add signal decomposition for UMTS power amplifiers," in *2012 Asia-Pacific Microwave Conference Proceedings*, 2012, pp. 493–495.
- [56] J. Walk, R. Weigel, G. Fischer, and T. Ussmueller, "Telemedicine at the example of sensor implants," in *IEEE Radio & Wireless Week, Workshop on Telemedicine: Wireless Sensor and Body Area Networks*, Jan. 2012.

- [57] M. Hamouda, G. Fischer, R. Weigel, and T. Ussmueller, “A low power SiGe HBT LNA For UWB applications,” in *The 7th German Microwave Conference*, march 2012, pp. 1–4.
- [58] T. Ussmueller, D. Brenk, J. Essel, J. Heidrich, G. Fischer, and R. Weigel, “A Multistandard HF/ UHF-RFID-Tag With Integrated Sensor Interface and Localization Capability,” in *6th Annual IEEE International Conference on RFID*, apr 2012.
- [59] C. Soell, J. Walk, G. Fischer, R. Weigel, and T. Ussmueller, “Implantable Antenna for Medical Sensor Platforms,” in *19th International Conference on Microwave, Radar and Wireless Communications (MIKON)*, 2012.
- [60] M. Maser, M. Gardill, P. Gulden, G. Fischer, R. Weigel, and T. Ussmueller, “Local positioning mit einem integrierten breitband-fmcw system,” in *Electrical and Electronic Engineering for Communication, EEEfCOM*, 2012.
- [61] C. Hartmann, J. Rascher, R. Weigel, G. Fischer, and T. Ussmueller, “A CMOS RF Front-End IC for Multi Antenna Diversity Applications in the S-Band,” in *19th International Conference on Microwave, Radar and Wireless Communications (MIKON)*, 2012.
- [62] A. Hagelauer, T. Ussmueller, and R. Weigel, “SAW and CMOS RFID Transponder-Based Wireless Systems and Their Applications,” in *IEEE International Frequency Control Symposium*, 2012, invited Paper.
- [63] T. Ussmueller, D. Brenk, J. Essel, J. Heidrich, G. Fischer, and R. Weigel, “Roundtrip-Time-of-Flight Based Localization of Passive Multi-Standard RFID-Tags,” in *IEEE International Conference on Wireless Information Technology and Systems*, July 2012.
- [64] ———, “A Multistandard HF/ UHF-RFID-Tag With Integrated Sensor Interface and Localization Capability,” in *EEEfCOM - Electrical and Electronic Engineering for Communication*, 2012.
- [65] A. Esswein, C. Carlowitz, M. Vossiek, G. Fischer, R. Weigel, and T. Ussmueller, “An Integrated Switched Infection-Locked Oscillator for Pulsed Angle Modulated Ultra Wideband Communication and Radar Systems,” in *IEEE International Conference on Ultra-Wideband (ICUWB)*, sept. 2012.
- [66] M. Hamouda, J. Sachs, G. Fischer, R. Weigel, and T. Ussmueller, “High Precision Wireless Synchronization Receiver for M-Sequence UWB Radio Systems,” in *IEEE International Conference on Ultra-Wideband (ICUWB)*, September 2012, pp. 265–269.
- [67] M. Jung, G. Fischer, R. Weigel, and T. Ussmueller, “A 10 GHz Low-Power Multi-Modulus Frequency Divider using Extended True Single-Phase Clock (E-TSPC) Logic,” in *European Microwave Integrated Circuits Conference*, Oct. 2012.
- [68] M. Maser, G. Fischer, R. Weigel, and T. Ussmueller, “An Integrated SiGe Bipolar VCO with Linearized Tuning Behavior and Ultra-Wide Tuning Range for UWB FMCW Local Positioning Systems,” in *International Semiconductor Conference Dresden - Grenoble (ISCDG)*, 2012.

- [69] M. Jung, G. Fischer, R. Weigel, and T. Ussmueller, "A CMOS divider family for high frequency wireless localization systems," in *International Semiconductor Conference Dresden - Grenoble (ISCDG)*, 2012.
- [70] M. Hein, M. Helbig, M. Kmec, J. Sachs, F. S. di Clemente, R. Stephan, M. Hamouda, T. Ussmueller, R. Weigel, M. Robens, R. Wunderlich, and S. Heinen, "Ultra-wideband active array imaging for biomedical diagnostics," in *IEEE-APS Topical Conference on Antennas and Propagation in Wireless Communications*, sept. 2012, pp. 367–370.
- [71] A. Zohny, J. Rascher, G. Fischer, R. Weigel, and T. Ussmueller, "A Classification and Comparative Overview of State-of-the-Art Analog Linearization Techniques for Integrated CMOS Power Amplifiers," in *IEEE International Conference on Wireless Information Technology and Systems*, Nov. 2012.
- [72] T. H. Ußmüller, *Rekonfigurierbarer fraktionaler Frequenzsynthesegenerator zur hochpräzisen Positionsbestimmung mit FMCW-Sekundärradarsystemen*. Der Andere Verlag, 2011.
- [73] J. Walk, T. Ussmueller, R. Weigel, and G. Fischer, "Improvements of Wireless Communication and Energy Harvesting Aspects for Implantable Sensor Interfaces by Using the Split Frequencies Concept," in *IEEE Radio and Wireless Symposium*, Phoenix, AZ, USA, Jan. 2011, pp. 406–409.
- [74] T. Ussmueller, G. Fischer, and R. Weigel, "Simulation von FMCW-Synthesizern mittels optimierter Verhaltensmodelle," in *Radcom - Radar, Communication and Measurement*, Hamburg, Deutschland, Apr. 2011.
- [75] J. Walk, T. Ussmueller, G. Fischer, and R. Weigel, "Remote Powering Systems for Implantable Sensor Platforms," in *Radcom - Radar, Communication and Measurement*, Hamburg, Deutschland, Apr. 2011.
- [76] T. Ussmueller, J. Heidrich, D. Brenk, J. Essel, G. Fischer, and R. Weigel, "Distance Measurement with UHF RFID Transponders," in *IEEE MTT-S International Microwave Symposium, Workshop on Innovative and Highly Accurate Local Positioning Systems*, Baltimore, MD, USA, June 2011.
- [77] M. Jung, A. Ferizi, T. Ussmueller, G. Fischer, and R. Weigel, "A 9.7 mW 0.13  $\mu\text{m}$  CMOS PLL for Use in 24 GHz Sensor Nodes," in *IEEE International Midwest Symposium on Circuits and Systems*, Seoul, Korea, Aug. 2011.
- [78] ———, "A digital trimmable comparator for high precision ADCs in wireless sensor nodes," in *Semiconductor Conference Dresden*, Sept. 2011, pp. 1–4.
- [79] S. Glock, G. Fischer, R. Weigel, T. Ussmueller, and R. Hasholzner, "A State-based Power Estimation Methodology at System Level for Integrated RF Front-ends," in *Semiconductor Conference Dresden*, Sept. 2011, pp. 1–4.

- [80] J. Walk, T. Ussmueller, G. Fischer, and R. Weigel, "Remote Powering Systems of Medical Implants for Maintenance Free Healthcare Applications," in *European Microwave Conference*, Manchester, Großbritannien, Oct. 2011.
- [81] A. Esswein, G. Dehm-Andone, A. Aleksieieva, C. Carlowitz, G. Fischer, M. Vossiek, R. Weigel, and T. Ussmueller, "Spannungsgesteuerter Colpitts-Oszillator mit weitem Abstimmbereich in Silizium-Germanium-Technologie und Ausgangsschalter zur Generierung gepulster frequenzmodulierter Ultrabreitband-Signale," in *12. GMM/ITG-Fachtagung Analog*, Nov. 2011.
- [82] J. Rascher and T. Ussmueller, "Phasenschieber für satellitenfunkempfänger-frontends," in *12. GMM/ITG-Fachtagung Analog*, Nov. 2011.
- [83] M. Jung, K. Schmid, G. Fischer, R. Weigel, and T. Ussmueller, "Vergleich verschiedener schaltungskonzepte für stromgebende ladungspumpen in phasenregelschleifen," in *12. GMM/ITG-Fachtagung Analog*, Nov. 2011.
- [84] S. Glock, G. Fischer, R. Weigel, and T. Ussmueller, "A Power-Aware Behavioral Model of a Five-State Phase-Frequency Detector," in *Asia-Pacific Microwave Conference*, Dec. 2011.
- [85] M. Jung, J. Fuhrmann, A. Ferizi, G. Fischer, R. Weigel, and T. Ussmueller, "Design of a 12 ghz low-power extended true single phase clock (e-tspc) prescaler in 0.13 um cmos technology," in *Asia-Pacific Microwave Conference*, Dec. 2011.
- [86] T. Ussmueller and R. Weigel, "Phase-Locked Loop Based Frequency Synthesizer with Chirp Generation for FMCW Secondary Radar Systems," in *IEEE International Conference on Wireless Information Technology and Systems*, Honolulu, HI, USA, Sept. 2010, pp. 1–4.
- [87] M. Heinrich, J. Heidrich, T. Ussmueller, and R. Weigel, "Concept for Electronic calibration of a CMOS Voltage Reference," in *IEEE International Conference on Wireless Information Technology and Systems*, Honolulu, HI, USA, Sept. 2010, pp. 1–4.
- [88] T. Ussmueller, M. Jung, and R. Weigel, "Synthesizer for FMCW based Localization in Wireless Sensor Networks," in *IEEE International Conference on Wireless Information Technology and Systems, Workshop on Innovative Circuits, Systems and Applications for Local Position Estimation*, Honolulu, HI, USA, Sept. 2010.
- [89] T. Ussmueller, R. Mosshammer, R. Weigel, R. Eickhoff, F. Ellinger, and A. Ziroff, "Reconfigurable Systems for Mobile Local Communication and Positioning," in *IEEE Radio and Wireless Symposium, Workshop on Radar and positioning systems: innovative approaches and future trends*, San Diego, USA, Jan. 2009.
- [90] T. Ussmueller, R. Weigel, and R. Eickhoff, "Highly Integrated Fractional-N Synthesizer for Locatable Wireless Sensor Nodes," in *IEEE International Conference on Communication*, Dresden, Deutschland, June 2009.



- [91] P. Wenig, T. Ussmueller, and R. Weigel, "Concepts and Design Methods of Antennas for Automotive Long Range Radar Sensors," in *IEEE MTT-S International Microwave Symposium, Workshop on New Component Technologies for Vehicular and Industrial Radar Applications*, Boston, MA, USA, June 2009.
- [92] T. Ussmueller, M. Jung, and R. Weigel, "Synthesizer Concepts for FMCW Based Locatable Wireless Sensor Nodes," in *IEEE MTT-S International Microwave Workshop on Wireless Sensing, Local Positioning, and RFID*, Cavtat, Kroatien, Sept. 2009, pp. 1–4.
- [93] T. Ussmueller, K. Seemann, and R. Weigel, "Comparison of  $g_m$ -Boosted Oscillators in Silicon Field Effect Transistor and Silicon-Germanium Hetero-Junction Bipolar Transistor Technology," in *European Microwave Integrated Circuits Conference*, Rom, Italien, Sept. 2009, pp. 539–542.
- [94] R. Eickhoff, F. Ellinger, T. Ussmueller, J. Huettner, and R. Gierlich, "Linear Frequency Ramp Generation for Local Positioning," in *Semiconductor Conference Dresden*, Dresden, Deutschland, Apr. 2008.
- [95] R. Eickhoff, F. Ellinger, T. Ussmueller, and S. Spiegel, "A Highly-Integrated Fractional-N Synthesiser for FMCW Radar," in *International IEEE Conference on Microwaves, Communications, Antennas and Electronic System*, Tel-Aviv, Israel, May 2008.
- [96] R. Eickhoff, F. Ellinger, A. Zirotz, T. Ussmueller, J. Hüttner, R. Gierlich, S. Wehrli, and M. Huemer, "Ultra Low Power Local Positioning Systems for Wireless Sensor Networks," in *ICT Mobile and Wireless Summit*, Stockholm, Schweden, June 2008.
- [97] T. Ussmueller, R. Weigel, and S. Spiegel, "Fractional-N PLL for Frequency Synthesis in Local Positioning Applications," in *EEEFOM - Electrical and Electronic Engineering for Communication*, Ulm, Deutschland, May 2008.
- [98] T. Ussmueller, R. Eickhoff, F. Ellinger, and A. Zirotz, "Reconfigurable Systems for Mobile Local Communication and Positioning," in *IEEE MTT-S International Microwave Symposium, Workshop on Progress in Global and Local Positioning in Europe*, Atlanta, GA, USA, June 2008.
- [99] T. Ussmueller and R. Weigel, "Fully Integrated Voltage Controlled Oscillator for Novel High-Precision Local Positioning System," in *European Wireless Technology Conference*, Amsterdam, Holland, Oct. 2008.
- [100] P. Tragas, A. Kalis, C. Papadias, F. Ellinger, T. Ussmuller, R. Mosshammer, M. Huemer, R. Eickhoff, A. Dabek, D. Doumenis, and A. Kounoudes, "RESOLUTION: Reconfigurable Systems for Mobile Local Communication and Positioning," in *IST Mobile and Wireless Summit 2007*, Budapest, Ungarn, July 2007.
- [101] T. Ussmueller, K. Seemann, and R. Weigel, " $g_m$ -Boosted VCO with Low Power Consumption and Large Tuning Range," in *European Conference on Wireless Technology*, München, Deutschland, Oct. 2007.

- [102] F. Ellinger, R. Eickhoff, R. Gierlich, J. Huettner, A. Ziroff, S. Wehrli, T. Ussmueller, J. Carls, V. Subramanian, M. Krcmar, R. Mosshammer, S. Spiegel, D. Doumenis, A. Kounoudes, K. Kurek, Y. Yashchyshyn, C. B. Papadias, P. Tragas, A. Kalis, and E. Avatagelou, "Local Positioning for Wireless Sensor Networks," in *IEEE Global Communication Conference*, Washington, DC, USA, Nov. 2007, pp. 1–6.
- [103] R. Mosshammer, T. Ussmueller, and R. Weigel, "RESOLUTION An Integrated Communications and Local Positioning Solution," in *RadioTecC - Radio Techniques and Technologies for Commercial Communication and Sensing Applications*, Berlin, Deutschland, Nov. 2007.
- [104] F. Ellinger, J. Carls, S. Wehrli, H. Jaeckel, C. Kromer, L. Wiebking, A. Dabek, J. Hüttner, R. Roskosch, R. Gierlich, C. Seisenberger, M. Huemer, R. Mosshammer, T. Ussmueller, R. Weigel, V. Subramanian, M. Krcmar, G. Boeck, D. Doumenis, A. Kounoudes, K. Kurek, Y. Yashchyshyn, R. Szumny, A. Kalis, E. Avatagelou, A. Garbi, and S. Spiegel, "EU PROJECT RESOLUTION: Reconfigurable Systems for Mobile Local Communication and Positioning," in *International Conference on Wireless Information Networks and Systems*, Setubal, Portugal, Aug. 2006.
- [105] T. Ussmueller, "VCO Design in SiGe," in *First Chinese-German Summer School*, P. Wellmann, G. Shi, and Z. Feng, Eds., vol. 1, Shanghai, China, Sept. 2006, pp. 227–233.
- [106] U. Tietze and T. Ussmueller, "VV oder CC - wer hat die Nase vorn? - Es muss nicht immer der normale Opamp sein," *Elektor*, vol. 11, no. 419, pp. 62–66, Nov. 2005.