



















Bezeichnung der Flugjahr- folge	F l u g j a h r e											
	2020	2021	2022	2023	2024	2025	2026	2027	2016	2017	2018	2019
III 0												
III 1												
III 2												
IV 0												
IV 1												
IV 2												
IV 3												


 schwacher Wurzelfraß
 starker Wurzelfraß

Die Maikäferflugjahre in Österreich (W. Faber, 1960)

Maikäfer-Fraßschaden Prognose für 2026



1 Feldmaikäfer 2 Waldmaikäfer



1



2


Maikäfer Flugjahre in Österreich 2026

Melolontha spp. mainflight areas in Austria 2026

(© AGES Wien, modified by H. Strasser)

Die Maikäfer-Flugjahre in Österreich

Nach dem Ergebnis von zehnjährigen, gemeinsam
mit den österreichischen Volksschulen
durchgeführten Erhebungen (Stand 1960), ausgearbeitet von
Dr. Walter Faber, Bundesanstalt für Pflanzenschutz, Wien
Aktualisiert (Stand 2019) von Stephan Manhalter, MSc, AGES, Wien



Gebiete, die mit dem europäischen Maikäfer in Österreich befallen sind. Gebiete des Schwärmflugs und Dauer des Lebenszyklus sind farblich gekennzeichnet.
Areas infested with the European May beetle in Austria. Region of the swarming flight and length of life cycle is indicated in color.

Copyright

- All rights preserved
- Reproduction for non-commercial use is authorised provided the source is acknowledged
- Reproduction for commercial use only with written permission of the copyright owner
- Contact: Hermann Strasser, Technikerstrasse 25, A-6020 Innsbruck, Austria. E-mail: hermann.strasser@uibk.ac.at