



Asymmetric synthesis of batrachotoxin: Enantiomeric toxins show functional divergence against Na_v

Logan, M. M., Toma, T., Thomas-Tran, R., Du Bois, J.
Science, 2016, 354, 865-869.



- 1) H₂, Pd/C, HCl, ethylene glycol
- 2) TESOTf, Et₃N
- 3) CHBr₃, KO^t-Bu
- 4) TMSC≡CLi, THF
- 5) camphor sulfonic acid, MeOH


- 6) *t*-BuLi, THF, -90 °C, then **1**
- 7) K₂CO₃, MeOH
- 8) TMSC≡CSiEt₂Cl, imidazole
- 9) *n*-Bu₃SnH, O₂, Et₃B, Ph₂O, 150 °C




6-endo-trig followed by 1,4-H atom transfer

Please name the starting material.
 How would you make it?

(S)-(+)-Hajos-Parrish diketone




How would you make intermediate **1** from:




Step 9: Please provide the mechanism.

10-14



15-20




- 10) TBAF, THF, 60 °C
- 11) IBX, OsO₄, NaIO₄
- 12) MeNH₂, NaB(O₂CCF₃)H
- 13) ClCH₂COCl, 2,6-lutidine
- 14) NaOEt/EtOH

- 15) KHMDS, PhNTf₂
- 16) CuCl₂, O₂
- 17) NaClO₂, NaH₂PO₄, DMSO/H₂O
- 18) SOCl₂, pyridine
- 19) NaN₃, acetone/H₂O
- 20) AcOH/H₂O, 90 °C

Step 20: Please name the reaction.

D



21-25



(-)-Batrachotoxin (BTX)

LD₅₀ = 2 μg/kg

- 21) *p*-TsOH, 4Å MS, PMBCH₂OH
- 22) **2**, Pd(PPh₃)₄, LiCl, CuCl, then 1M oxalic acid
- 23) AlH₃
- 24) *p*-TsOH, acetone/H₂O
- 25) Et₃N, **3**



Step 23: How would you make AlH₃?

