




The total synthesis of (\pm)-11-O-debenzoyltashironin

S. P. Cook, A. Polara, S. J. Danishefsky, *J. Am. Chem. Soc.* **2006**, 128, 16440.




- 1) $Zn(CN)_2, HCl,$
- 2) $TsCl, -10\text{ }^\circ C$
- 3) $BnBr, K_2CO_3, TBAI$
- 4) $m\text{-CBPA then } NEt_3, MeOH/CH_2Cl_2$
- 5) NBS
- 6) $TBSCl, NEt_3,$



- 7) $1, Pd(dba)_3, P(t-Bu)_3$
- 8) DMP
- 9) $2 \text{ (4 eq), } Et_2Zn, Ti(OiPr)_4$
- 10) $MsCl, NEt_3 \text{ then } Me_2Cu(CN)Li_2$
- 11) $TBAF, AcOH$
- 12) $PIDA \text{ then } \mu W$

- 1) Name the reaction
Gattermann reaction
Please draw the active species






- 4) Name the first transformation
Baeyer-Villiger-Oxidation

- 9) Draw the active species



- 12) Draw the mechanism





(\pm)-11-O-Debenzoyltashironin

- 13) NaBH_4 -78 °C
- 14) TMS-Imidazole
- 15) *m*-CBPA
- 16) $(\text{PPh}_3)_3\text{RhCl}$, H_2 (6.8 bar)
- 17) LiEt_3BH (52 eq)
- 18) DMP
- 19) Hf-pyr, TBAF
- 20) H_2 , Pd/C

12)

