



Enantioselective Total Synthesis of (-)-Pavidolide B

Zhang, P.; Yan, Z.; Li, Y.; Gong, J.; Yang, Z.*
J. Am. Chem. Soc. **2017**, *139*, 13989–13992




1, 2



3-5


- 1) Cu–Al Ox, air, *t*-BuOK
- 2) RhCl(PPh₃)₃, H₂




1

- 3) **1**, Et₃N
- 4) CH(OEt)₃, PTSA
- 5) Me₄NOH

2) Name the catalyst and explain its selectivity.





Pavidolide B



A + B



6-12



2

- 6) PPh_3 , DEAD
- 7) PhSH, *p*-toluidine,
 $\text{Ir}(\text{dF}(\text{CF}_3)\text{ppy})_2(\text{dtbbpy})\text{PF}_6$, blue LEDs
- 8) Me_4NOH , then 120°C , then HCl
- 9) $\text{Ni}(\text{acac})_2$, **2**, Et_2Zn
- 10) NaHCO_3 , DMP
- 11) Grubbs II catalyst
- 12) $\text{RhCl}_3 \cdot 3\text{H}_2\text{O}$, 100°C , sealed tube

7) Draw out mechanism.

9) Name of **2**
Homoallylation of aldehyde, draw out mechanism.